

L Number	Hits	Search Text	DB	Time stamp
1	331	ground\$4 near5 backplane	USPAT; EPO	2004/06/03 13:30
2	1	ground\$4 near5 backplane same (sleep\$3 stand\$1by)	USPAT; EPO	2004/06/03 13:55
3	36	oprescu.in. and apple.as.	USPAT; EPO	2004/06/03 13:55
8	1147	residual near2 (power voltage)	JPO; IBM_TDB	2004/06/03 15:53
9	87	residual near2 (power voltage) with prevent\$4	JPO; IBM_TDB	2004/06/03 15:54
10	0	residual near2 (power voltage) with prevent\$4 same ground	JPO; IBM_TDB	2004/06/03 15:54
11	3	residual near2 (power voltage) with prevent\$4 same ground\$4	JPO; IBM_TDB	2004/06/03 15:54
-	750	short with sleep\$4	USPAT; EPO	2004/06/02 08:53
-	80	short\$4 with (during near2 sleep\$4)	USPAT; EPO	2004/06/01 15:27
-	6	short\$4 with (during near2 sleep\$4) and g06f\$.ipc.	USPAT; EPO	2004/06/01 15:27
-	12	short with sleep\$4 and 713/3\$.ccls.	USPAT; EPO	2004/06/01 15:35
-	5	short\$4 near3 supply with sleep\$4	USPAT; EPO	2004/06/01 16:08
-	1	short\$1circuit\$4 near3 supply with sleep\$4	USPAT; EPO	2004/06/01 16:08
-	1064	short\$1circuit\$4 near3 supply	USPAT; EPO	2004/06/01 16:08
-	2	short\$1circuit\$4 near3 supply and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:27
-	2	bleed\$4 near5 (power voltage) and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:35
-	0	bleed\$4 near5 (supply) and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:37
-	0	bleed\$1off near5 resistor\$1 and 713/3\$.ccls.	USPAT; EPO	2004/06/01 16:37
-	56	bleed\$1off near5 resistor\$1	USPAT; EPO	2004/06/01 16:37
-	38	bleed\$1off adj resistor\$1	USPAT; EPO	2004/06/01 16:43
-	503	bleed adj resistor\$1	USPAT; EPO	2004/06/01 16:43
-	4	bleed adj resistor\$1 and g06f\$.ipc.	USPAT; EPO	2004/06/01 16:43
-	4175	grounded near5 supply	USPAT; EPO	2004/06/02 08:54
-	10	grounded near5 supply and 713/3\$.ccls.	USPAT; EPO	2004/06/02 08:59
-	66	grounded near5 supply with reduc\$4	USPAT; EPO	2004/06/02 09:16
-	24	grounded near5 supply near5 reduc\$4	USPAT; EPO	2004/06/02 09:09
-	444	ground\$4 near5 supply with reduc\$4 near3 (power voltage)	USPAT; EPO	2004/06/02 09:16
-	14	ground\$4 near5 supply with reduc\$4 near3 (power voltage) and g06f\$.ipc.	USPAT; EPO	2004/06/02 09:20
-	5	ground\$4 near5 supply with adjust\$6 near3 (power voltage) and g06f\$.ipc.	USPAT; EPO	2004/06/02 09:51
-	8	power adj bus\$4 with sleep\$4	USPAT; EPO	2004/06/02 10:31
-	769	power adj bus\$4 with ground\$4	USPAT; EPO	2004/06/02 10:31
-	54	power adj bus\$4 with ground\$4 and g06f\$.ipc.	USPAT; EPO	2004/06/02 10:41
-	27	during near5 sleep with ground\$4	USPAT; EPO	2004/06/02 12:54
-	0	(power adj bus\$4 with ground\$4 and g06f\$.ipc.) and (during near5 sleep with ground\$4)	USPAT; EPO	2004/06/02 10:41

-	1	6675304.pn.	USPAT;	2004/06/02
-	9	("4686617" "4945444" "5079448"	EPO	12:54
-		"5594636" "6006336" "6232830"	USPAT	2004/06/03
-	1	"6266776" "6278598" "6522981").PN.		09:56
-		((("4686617" "4945444" "5079448"	USPAT	2004/06/02
-		"5594636" "6006336" "6232830"		13:15
-	0	"6266776" "6278598" "6522981").PN.)		
-		and remove near4 (power voltage current)		
-		6675304.URPN.	USPAT	2004/06/02
-	1	sakai.in. and acpi		13:11
-			USPAT	2004/06/02
-	4	((("4686617" "4945444" "5079448"		13:14
-		"5594636" "6006336" "6232830"	USPAT	2004/06/02
-		"6266776" "6278598" "6522981").PN.)		13:17
-		and sleep\$4		
-	4	((("4686617" "4945444" "5079448"	USPAT	2004/06/02
-		"5594636" "6006336" "6232830"		13:32
-		"6266776" "6278598" "6522981").PN.)		
-		and (low\$3 adj power\$4)		
-	5	sleep\$4 same (discharg\$4 near2 load\$1)	USPAT;	2004/06/02
-			EPO	14:07
-	1	sleep\$4 same (discharg\$4 near2 load\$1)	JPO;	2004/06/02
-			IBM TDB	14:07
-	5095	power adj bus\$4	USPAT;	2004/06/02
-			EPO	15:44
-	13	power adj bus\$4 with contribut\$4	USPAT;	2004/06/02
-			EPO	15:45
-	0	power adj bus\$4 with contribut\$4 same	USPAT;	2004/06/02
-		sleep\$4	EPO	15:45
-	5293	voltage near2 (plane\$1 rail\$1)	USPAT;	2004/06/02
-			EPO	15:46
-	1307	voltage near2 (plane\$1 rail\$1) with	USPAT;	2004/06/02
-		ground\$4	EPO	15:46
-	0	voltage near2 (plane\$1 rail\$1) with	USPAT;	2004/06/02
-		ground\$4 same sleep	EPO	15:46
-	18	voltage near2 (plane\$1 rail\$1) with	USPAT;	2004/06/02
-		ground\$4 and sleep	EPO	15:53
-	15	(pull\$1down (pull adj down)) with sleep	USPAT;	2004/06/02
-		and (pull\$1up (pull adj up))	EPO	15:55
-	20	(pull\$1down (pull adj down)) with sleep	USPAT;	2004/06/02
-			EPO	17:04
-	286	prevent\$4 near6 ((back back\$1driven)	USPAT;	2004/06/03
-		near2 voltage)	EPO	10:19
-	37	prevent\$4 near6 ((back back\$1driven).	USPAT;	2004/06/02
-		near2 voltage) same ground\$4	EPO	17:07
-	3	prevent\$4 near6 ((back back\$1driven)	USPAT;	2004/06/03
-		near2 voltage) same (ground\$4 near5	EPO	08:35
-		suppl\$4)		
-	65	(sleep\$4 stand\$1by (low adj power)	USPAT;	2004/06/03
-		hibernat\$6) near6 ((back back\$1driven)	EPO	08:36
-		near2 voltage)		
-	15336	isolat\$5 near5 power	USPAT	2004/06/03
-				09:59
-	3294	isolat\$5 near5 power adj suppl\$4	USPAT	2004/06/03
-				09:59
-	645	isolat\$5 near5 power adj suppl\$4 same	USPAT	2004/06/03
-		ground		09:59
-	19	isolat\$5 near5 power adj suppl\$4 same	USPAT;	2004/06/03
-		ground and sleep\$4	EPO	10:00
-	9	isolat\$5 near5 power adj suppl\$4 same	USPAT;	2004/06/03
-		ground same sleep\$4	EPO	10:01
-	9	isolat\$5 near5 power adj suppl\$4 same	USPAT;	2004/06/03
-		ground\$4 same sleep\$4	EPO	10:01
-	14	isolat\$5 near5 power adj suppl\$4 same	USPAT;	2004/06/03
-		ground\$4 same stand\$1by	EPO	10:08
-	12	isolat\$5 near5 power adj suppl\$4 same	USPAT;	2004/06/03
-		ground\$4 same stand\$1by and switch\$4	EPO	10:01
-	21	isolat\$5 near5 (component\$1 device\$1	USPAT;	2004/06/03
-		peripheral\$1) same (while during) near2	EPO	10:17
-		(sleep stand\$1by hibernat\$4)		

-	0	ground\$4 near5 (volatge adj rail\$1)	USPAT; EPO	2004/06/03 10:17
-	2	prevent\$4 near6 ((back back\$1driven)	USPAT;	2004/06/03
-		near2 voltage) same (sleep\$4 stand\$1by)	EPO	10:27
-	0	mark-connolly.xa.	USPAT;	2004/06/03
-			EPO	10:27
-	30	connolly-mark.xa.	USPAT;	2004/06/03
			EPO	13:29